


Empowering Academic Excellence Through Advanced Robotics

v. 1.01 June - 2025



Function Structure





Application Scenarios











Research Labs

Perfect for robotics research exploring motion dynamics, Al integration, and environmental sensing.

STEM Education



Provides hands-on learning in programming, robotics engineering, and Al applications.

Robotics Competitions



Ideal platform for student competitions in robot design, programming, and problem-solving.



Supports technology demonstrations and cross-disciplinary innovation projects.





SID1 – Lite3 Series

Venture

Entry-level model perfect for basic robotics education and motion training applications.

Pro

Advanced model with enhanced computing capabilities for deeper Al and machine learning projects.

LiDAR - LiDAR 2

Specialized version with integrated LiDAR for environmental mapping and autonomous navigation research.



All-terrain Adaptation



Powerful Expansion



Autonomous Navigation



Environment Reconstruction









Technical Parameters

Models	Venture	Pro	LIDAR
Package	_	ROS + 1 year License BOW	
Standing Size	610 × 370 × 445 mm	610 × 370 × 445 mm	610 × 370 × 503 mm
Load Capacity	7 kg	7 kg	7 kg
Weight	12.2 kg	12.2 kg	12.2 kg
Max Slope	40°	40°	40°
Stair Height	15cm	15cm	15cm

Development Support



Comprehensive user manuals

- Product usage guides
- Software interface documentation
- Motion & perception development guides



Complete SDK package

- Motion SDK & API
- Perception software interfaces
- Recognition, tracking
 & navigation source
 code
- Built-in ROS system for efficient development



Simulation Capabilities

Advanced simulation support

- URDF simulation models
- Motion development demos
- Kinematic & dynamic simulations
- Compatible with major simulation platforms



Control Platform

Android Control App Features

- Real-time video streaming with minimal latency
- Intuitive motion control interface
- One-click access to:
 - Voice control
 - Obstacle detection
 - Advanced functions





Human-Machine Interaction

1

2

3

4

Advanced Gaits

- Jumping and flipping
- Dancing capabilities
- Self-recovery after falls
- Crawling functionality

Feedback Systems

- Built-in speaker system
- LED light strip integration
- Synchronized music and lighting effects

Customization

- Hands-on component assembly
- Programming experience
- Customization opportunities

Industry Integration

- Adaptable for various industries
- Supports laboratory work
- Enables curriculum development





BOW: Making Robotics Accessible



Multiple Programming Languages

Program robots using C#, Python, or C++



Cross-Platform Development

Build applications on Windows or Linux systems



Simulation to Reality

Seamless transition between virtual and physical robots



Universal Codebase

One SDK works across all InMotion robot models





BOW:

Real-time Robot Control & Visualization

Key Features


- Real-time control and visualization
- User-friendly SDK with comprehensive tools
- Hardware-agnostic development

Technical Capabilities

- Universal SDK command conversion
- Local network and Internet control
- Minimal latency operation

Developer Support

- Dedicated expert assistance
- Cross-platform compatibility
- Automatic BOW-enabled robot compatibility





Expandable Modules



LiDAR Module

16-line:

- Detection Range: 100 m @10% 150 m @70%
- 3D-SLAM algorithm development for map creation, navigation, and obstacle avoidance.
- Multi-sensor fusion algorithms involving depth cameras, inertial navigation systems, and LiDAR, enabling more precise navigation, positioning, path planning, and obstacle avoidance.



Depth Camera

Monocular color images, stereo grayscale images, depth point clouds, and internal IMU data output. Can be used for:

- Visual SLAM and terrain mapping development.
- Color image resolution: 1920x1080 @30FPS.
- Grayscale image resolution: 1280x720 @30FPS.
- Depth point cloud resolution: 1280x720 @30FPS.
- 2.5D terrain mapping and visual algorithm development.



Al Server

21 TOPS:

- GPU: Equipped with 384-core NVIDIA Volta™
- GPU with 48 Tensor Cores.
- CPU: 6-core NVIDIA Carmel ARM®v8.2 64-bit
- CPU with 6MB L2 + 4MB L3 cache.
- Memory: 16GB, 128-bit LPDDR4x with a bandwidth of 59.7GB/s.
- Storage: 16GB eMMC 5.1.



Al New SID1 Al capabilities with precise LiDAR2 technology

All New SID1/Lite3 Pro LiDAR 2 with Mid 360 LiDAR Camera

- Advanced Control System: State-of-the-art motion control and balance algorithms
- Modular Design: Easily expandable with additional sensors and components
- Research-Grade Hardware: Professional-quality actuators and sensors
- Educational Integration: Comprehensive curriculum support materials

Key Specifications

- Laser: 905 nm wavelength, Class 1 eye-safe (IEC 60825-1:2014)
- Detection Range: 40m @ 10% reflectivity, 70m @ 80% reflectivity
- Field of View: 360° horizontal, -7° to 52° vertical
- Precision: ≤2cm @ 10m, Angular error ≤0.15°

Performance

- Point Rate: 200,000 points/s
- Frame Rate: 10 Hz typical
- Data: 100 BASE-TX Ethernet with GPS sync

Environmental

- Operating Temp: -20° to 55°C
- Protection: IP67-rated

Special Educational Bundle Price: 11.990€



System Architecture



Sensor Systems

Ultrasonic radar, LiDAR, and cameras provide comprehensive environmental data.

Processing Units

Dedicated perception units and motion controllers handle specialized tasks.

1 2 3

Communication Network


Ethernet, USB, and UART protocols ensure reliable data transmission.


Control Interface

Intuitive app provides real-time control and monitoring capabilities.



Function Structure





Transform Your Robotic Education

4

Models

Different configurations to meet diverse educational needs.

16

Sensors

Comprehensive perception system for environmental awareness.

21

TOPS

Powerful AI computing capabilities for advanced research.

100%

Support

Complete documentation and development resources.





visit: www.inmotionrobotic.com/education



Education Bundle

Starting: 6,490 € + VAT



Academic Discounts


Special pricing for educational institutions and bulk orders



Get in Touch

info@inmotionrobotic.com







SID1 Series

